

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q80746

Suman Preet Singh KHANUJA, et al.

Appln. No.: 10/813,160

Group Art Unit: 1634

Confirmation No.: 4467

Examiner: Not yet assigned

Filed: March 31, 2004

For: PRIMERS AND A SCREENING METHOD FOR IDENTIFICATION OF ARTEMISININ
PRODUCING PLANTS


SUBMISSION OF PRIORITY DOCUMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Submitted herewith is one (1) certified copy of the priority document on which a claim to priority was made under 35 U.S.C. § 119. The Examiner is respectfully requested to acknowledge receipt of said priority document.

Respectfully submitted,



Alan J. Kasper
Registration No. 25,426

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860


WASHINGTON OFFICE

23373

CUSTOMER NUMBER

Enclosures: **WIPO PCT/IN03/00404**

Date: December 16, 2004



THIS PAGE BLANK (USPTO)





GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PATENT OFFICE, DELHI BRANCH
W - 5, WEST PATEL NAGAR
NEW DELHI - 110 008.

CERTIFIED COPY OF
PRIORITY DOCUMENT

*I, the undersigned being an officer duly
authorized in accordance with the provision of the
Patent Act, 1970 hereby certify that annexed hereto is
the true copy of the documents filed in connection with
PCT Application as stated below*

PCT/IN03/00404 dated 29th December 2003

Witness my hand this 2nd day of September 2004.



(S.K. PANGASA)

Assistant Controller of Patents & Designs

THIS PAGE BLANK (USPTO)

PCT REQUEST

0426

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

0	For receiving Office use only	
0-1	International Application No.	PCT / IN / 000404
0-2	International Filing Date	29 DECEMBER 2003 (29.12.03)
0-3	Name of receiving Office and "PCT International Application"	INDIAN PATENT OFFICE (RO/IN)
0-4	Form - PCT/RO/101 PCT Request	
0-4-1	Prepared using	PCT-EASY Version 2.92 (updated 01.07.2003)
0-5	Petition The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty	
0-6	Receiving Office (specified by the applicant)	Indian Patent Office (RO/IN)
0-7	Applicant's or agent's file reference	0426
I	Title of invention	PRIMERS AND A SCREENING METHOD FOR IDENTIFICATION OF ARTEMISININ PRODUCING PLANTS
II	Applicant	
II-1	This person is:	applicant only
II-2	Applicant for	all designated States except US
II-4	Name	COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH
II-5	Address:	Rafi Marg 110 001 New Delhi India
II-6	State of nationality	IN
II-7	State of residence	IN
II-8	Telephone No.	91-11-26962560
II-9	Facsimile No.	91-11-26968819
II-10	e-mail	ipmd@vsnl.net
III-1	Applicant and/or inventor	
III-1-1	This person is:	applicant and inventor
III-1-2	Applicant for	US only
III-1-4	Name (LAST, First)	KHANUJA, Suman, Preet, Singh
III-1-5	Address:	Central Institute of Medicinal and Aromatic Plants PO CIMAP 226 001 Lucknow India
III-1-6	State of nationality	IN
III-1-7	State of residence	IN

PCT REQUEST

2/13

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

0426

III-2	Applicant and/or inventor	
III-2-1	This person is:	applicant and inventor
III-2-2	Applicant for	US only
III-2-4	Name (LAST, First)	PAUL, Shilpi
III-2-5	Address:	Central Institute of Medicinal and Aromatic Plants PO CIMAP 226 001 Lucknow India
III-2-6	State of nationality	IN
III-2-7	State of residence	IN
III-3	Applicant and/or inventor	
III-3-1	This person is:	applicant and inventor
III-3-2	Applicant for	US only
III-3-4	Name (LAST, First)	SHASANY, Ajit, Kumar
III-3-5	Address:	Central Institute of Medicinal and Aromatic Plants PO CIMAP 226 001 Lucknow India
III-3-6	State of nationality	IN
III-3-7	State of residence	IN
III-4	Applicant and/or inventor	
III-4-1	This person is:	applicant and inventor
III-4-2	Applicant for	US only
III-4-4	Name (LAST, First)	DAROKAR, Mahendra, Pandurang
III-4-5	Address:	Central Institute of Medicinal and Aromatic Plants PO CIMAP 226 001 Lucknow India
III-4-6	State of nationality	IN
III-4-7	State of residence	IN
III-5	Applicant and/or inventor	
III-5-1	This person is:	applicant and inventor
III-5-2	Applicant for	US only
III-5-4	Name (LAST, First)	SHUKLA, Ashutosh, Kumar
III-5-5	Address:	Central Institute of Medicinal and Aromatic Plants PO CIMAP 226 001 Lucknow India
III-5-6	State of nationality	IN
III-5-7	State of residence	IN

PCT REQUEST

0426

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

III-6	Applicant and/or inventor	
III-6-1	This person is:	applicant and inventor
III-6-2	Applicant for	US only
III-6-4	Name (LAST, First)	GUPTA, Madan, Mohan
III-6-5	Address:	Central Institute of Medicinal and Aromatic Plants PO CIMAP 226 001 Lucknow India
III-6-6	State of nationality	IN
III-6-7	State of residence	IN
III-7	Applicant and/or inventor	
III-7-1	This person is:	applicant and inventor
III-7-2	Applicant for	US only
III-7-4	Name (LAST, First)	KUMAR, Anuruddha
III-7-5	Address:	Central Institute of Medicinal and Aromatic Plants PO CIMAP 226 001 Lucknow India
III-7-6	State of nationality	IN
III-7-7	State of residence	IN
IV-1	Agent or common representative; or address for correspondence The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as:	agent
IV-1-1	Name (LAST, First)	BHOLA, Ravi
IV-1-2	Address:	K&S Partners 84-C, C-6 Lane Off Central Avenue Sainik Farms 110 062 New Delhi India
IV-1-3	Telephone No.	91-11-26533182
IV-1-4	Facsimile No.	91-11-26533889
IV-1-5	e-mail	ravi@knspartners.com
IV-1-5	Agent's registration No.	IN/PA-506
IV-2	Additional agent(s)	additional agent(s) with same address as first named agent
IV-2-1	Name(s)	GABRIEL, Devadoss, Calab(IN/PA-98); HARIHARAN, Rajeshwari(IN/PA-358); GOPALAN, Deepak, Sriniwas(IN/PA-508)

PCT REQUEST

4/13

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

0426

V	Designation of States	
V-1	Regional Patent (other kinds of protection or treatment, if any, are specified between parentheses after the designation(s) concerned)	<p>AP: GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW and any other State which is a Contracting State of the Harare Protocol and of the PCT</p> <p>EA: AM AZ BY KG KZ MD RU TJ TM and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT</p> <p>EP: AT BE BG CH&LI CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE SI SK TR and any other State which is a Contracting State of the European Patent Convention and of the PCT</p> <p>OA: BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG and any other State which is a member State of OAPI and a Contracting State of the PCT</p>
V-2	National Patent (other kinds of protection or treatment, if any, are specified between parentheses after the designation(s) concerned)	<p>AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH&LI CN CO CR CU CZ DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PG PH PL PT RO RU SC SD SE SG SK SL SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW</p>
V-5	Precautionary Designation Statement In addition to the designations made under items V-1, V-2 and V-3, the applicant also makes under Rule 4.9(b) all designations which would be permitted under the PCT except any designation(s) of the State(s) indicated under item V-6 below. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit.	
V-6	Exclusion(s) from precautionary designations	NONE
VI	Priority claim	NONE
VII-1	International Searching Authority Chosen	European Patent Office (EPO) (ISA/EP)

PCT REQUEST

0426

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

VIII	Declarations	Number of declarations	
VIII-1	Declaration as to the identity of the inventor	-	
VIII-2	Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent	7	
VIII-3	Declaration as to the applicant's entitlement, as at the international filing date, to claim the priority of the earlier application	-	
VIII-4	Declaration of inventorship (only for the purposes of the designation of the United States of America)	-	
VIII-5	Declaration as to non-prejudicial disclosures or exceptions to lack of novelty	-	

VIII-2-1	Declaration: Entitlement to apply for and be granted a patent Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent (Rules 4.17(ii) and 51bis.1(a)(ii)), in a case where the declaration under Rule 4.17(iv) is not appropriate: Name:	in relation to this international application KHANUJA, Suman, Preet, Singh is entitled to apply for and be granted a patent by virtue of the following:
VIII-2-1 (i)		KHANUJA, Suman, Preet, Singh of PO CIMAP Lucknow India is the inventor of the subject matter for which protection is sought by way of this international application
VIII-2-1 (iv)		an assignment from KHANUJA, Suman, Preet, Singh to COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, dated 29 December 2003 (29.12.2003)
VIII-2-1 (ix)	This declaration is made for the purposes of:	all designations except the designation of the United States of America

VIII-2-2	Declaration: Entitlement to apply for and be granted a patent Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent (Rules 4.17(ii) and 51bis.1(a)(ii)), in a case where the declaration under Rule 4.17(iv) is not appropriate: Name:	in relation to this international application PAUL, Shilpi is entitled to apply for and be granted a patent by virtue of the following:
VIII-2-2 (i)		PAUL, Shilpi of PO CIMAP Lucknow India is the inventor of the subject matter for which protection is sought by way of this international application
VIII-2-2 (iv)		an assignment from PAUL, Shilpi to COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, dated 29 December 2003 (29.12.2003)
VIII-2-2 (ix)	This declaration is made for the purposes of:	all designations except the designation of the United States of America

VIII-2-3	Declaration: Entitlement to apply for and be granted a patent Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent (Rules 4.17(ii) and 51bis.1(a)(ii)), in a case where the declaration under Rule 4.17(iv) is not appropriate: Name:	in relation to this international application SHASANY, Ajit, Kumar is entitled to apply for and be granted a patent by virtue of the following:
VIII-2-3 (i)		SHASANY, Ajit, Kumar of PO CIMAP Lucknow India is the inventor of the subject matter for which protection is sought by way of this international application
VIII-2-3 (iv)		an assignment from SHASANY, Ajit, Kumar to COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, dated 29 December 2003 (29.12.2003)
VIII-2-3 (ix)	This declaration is made for the purposes of:	all designations except the designation of the United States of America

VIII-2-4	Declaration: Entitlement to apply for and be granted a patent Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent (Rules 4.17(ii) and 51bis.1(a)(ii)), in a case where the declaration under Rule 4.17(iv) is not appropriate: Name:	in relation to this international application DAROKAR, Mahendra, Pandurang is entitled to apply for and be granted a patent by virtue of the following:
VIII-2-4 (i)		DAROKAR, Mahendra, Pandurang of PO CIMAP Lucknow India is the inventor of the subject matter for which protection is sought by way of this international application
VIII-2-4 (iv)		an assignment from DAROKAR, Mahendra, Pandurang to COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, dated 29 December 2003 (29.12.2003)
VIII-2-4 (ix)	This declaration is made for the purposes of:	all designations except the designation of the United States of America

PCT REQUEST

10/13

0426

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

VIII-2-5	Declaration: Entitlement to apply for and be granted a patent Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent (Rules 4.17(ii) and 51bis.1(a)(ii)), in a case where the declaration under Rule 4.17(iv) is not appropriate: Name:	in relation to this international application SHUKLA, Ashutosh, Kumar is entitled to apply for and be granted a patent by virtue of the following:
VIII-2-5 (i)		SHUKLA, Ashutosh, Kumar of PO CIMAP Lucknow India is the inventor of the subject matter for which protection is sought by way of this international application
VIII-2-5 (iv)		an assignment from SHUKLA, Ashutosh, Kumar to COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, dated 29 December 2003 (29.12.2003)
VIII-2-5 (ix)	This declaration is made for the purposes of:	all designations except the designation of the United States of America

PCT REQUEST

0426


Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

VIII-2-6	Declaration: Entitlement to apply for and be granted a patent Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent (Rules 4.17(ii) and 51bis.1(a)(ii)), in a case where the declaration under Rule 4.17(iv) is not appropriate: Name:	in relation to this international application GUPTA, Madan, Mohan is entitled to apply for and be granted a patent by virtue of the following:
VIII-2-6 (i)		GUPTA, Madan, Mohan of PO CIMAP Lucknow India is the inventor of the subject matter for which protection is sought by way of this international application
VIII-2-6 (iv)		an assignment from GUPTA, Madan, Mohan to COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, dated 29 December 2003 (29.12.2003)
VIII-2-6 (ix)	This declaration is made for the purposes of:	all designations except the designation of the United States of America

VIII-2-7	Declaration: Entitlement to apply for and be granted a patent Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent (Rules 4.17(ii) and 51bis.1(a)(ii)), in a case where the declaration under Rule 4.17(iv) is not appropriate: Name:	in relation to this international application KUMAR, Anuruddha is entitled to apply for and be granted a patent by virtue of the following:
VIII-2-7 (i)		KUMAR, Anuruddha of PO CIMAP Lucknow India is the inventor of the subject matter for which protection is sought by way of this international application
VIII-2-7 (iv)		an assignment from KUMAR, Anuruddha to COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, dated 29 December 2003 (29.12.2003)
VIII-2-7 (ix)	This declaration is made for the purposes of:	all designations except the designation of the United States of America

PCT REQUEST

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

IX	Check list	number of sheets	electronic file(s) attached
IX-1	Request (including declaration sheets)	13	-
IX-2	Description	12	-
IX-3	Claims	1	-
IX-4	Abstract	1	EZABST00.TXT
IX-5	Drawings	0	-
IX-7	TOTAL	27	
	Accompanying items	paper document(s) attached	electronic file(s) attached
IX-8	Fee calculation sheet	✓	-
IX-17	PCT-EASY diskette	-	Diskette
IX-19	Figure of the drawings which should accompany the abstract		
IX-20	Language of filing of the international application	English	
X-1	Signature of applicant, agent or common representative		
X-1-1	Name (LAST, First)	BHOLA, Ravi	

FOR RECEIVING OFFICE USE ONLY

10-1	Date of actual receipt of the purported international application	29.12.2003
10-2	Drawings:	
10-2-1	Received	
10-2-2	Not received.	No
10-3	Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application	
10-4	Date of timely receipt of the required corrections under PCT Article 11(2)	
10-5	International Searching Authority	ISA/EP
10-6	Transmittal of search copy delayed until search fee is paid	

FOR INTERNATIONAL BUREAU USE ONLY

11-1	Date of receipt of the record copy by the International Bureau	
------	--	--

THIS PAGE BLANK (USPTO)

PCT (ANNEX - FEE CALCULATION SHEET)

0426

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

(This sheet is not part of and does not count as a sheet of the international application)

0	For receiving Office use only			
0-1	International Application No.	PCT / 1 N03 / 00404		
0-2	Date stamp of the receiving Office	29 DECEMBER 2003 (29.12.03)		
0-4	Form - PCT/RO/101 (Annex) PCT Fee Calculation Sheet			
0-4-1	Prepared using	PCT-EASY Version 2.92 (updated 01.07.2003)		
0-9	Applicant's or agent's file reference	0426		
2	Applicant	COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, et al.		
12	Calculation of prescribed fees	fee amount/multiplier	Total amounts (USD)	Total amounts (INR)
12-1	Transmittal fee T	⇒		0
12-2-1	Search fee S	⇒	1,119	
12-2-2	International search to be carried out by	EP		
12-3	International fee			
	Basic fee (first 30 sheets) b1	476 USD		
12-4	Remaining sheets	0		
12-5	Additional amount (X)	12 USD		
12-6	Total additional amount b2	0 USD		
12-7	b1 + b2 = B	476 USD		
12-8	Designation fees			
	Number of designations contained in international application	98		
12-9	Number of designation fees payable (maximum 5)	5		
12-10	Amount of designation fee (X)	104 USD		
12-11	Total designation fees D	520 USD		
12-12	PCT-EASY fee reduction R	-148 USD		
12-13	Total International fee (B+D-R) I	⇒	848	
12-17	TOTAL FEES PAYABLE (T+S+I+P)	⇒	1,967	
12-19	Mode of payment	bank draft		

VALIDATION LOG AND REMARKS

13-2-4	Validation messages Priority	Green? No priority of an earlier application has been claimed. Please verify
13-2-7	Validation messages Contents	Yellow! The power of attorney or a copy of the general power of attorney will need to be furnished unless all applicants sign the request form.

PCT (ANNEX - FEE CALCULATION SHEET)

2/2

Original (for SUBMISSION) - printed on 29.12.2003 11:21:25 AM

0426

		Green? The international application contains no drawings. Please verify.
--	--	---

Primers and a screening method for identification of artemisinin producing plants

Field of the present Invention

5 The present invention relates to a pair of primers with forward primer of SEQ ID NO. 1 having sequence of CCAAGCTTGCTGAACGCATCGG, and reverse primer of SEQ ID No. 2 having sequence of CCAAGCTTGCCACGCAGGATTATC, and a screening method for early identification of plants *Artemisia annua* having high content of artemisinin and thereby helping generation of plant population with further high content
10 of artemisinin.

Background and prior art references of the invention

The plant *Artemisia annua* (family: Asteraceae) produces a sesquiterpenoid lactone endoperoxide named artemisinin which is a promising antimalarial drug effective against *Plasmodium falciparum*, *Plasmodium vivax* at nanomolar concentration. Artemisinins are
15 active against *Schistosoma mansoni* and *S. japonicum* *in-vitro* and *in-vivo* in experiments in animals. These schistosomes, like malarial parasites, degrade haemoglobin and produce hemozoin. These compounds are also active against *Leishmania major*, *Toxoplasma gondii* and *Pneumocystis carinii* *in-vitro* and against *P. carinii* *in-vivo*. Artemisinins have immunosuppressive activity and also potential anticancer activity. For
20 these activities, the doses of artemisinin required are substantially higher than the dose for antimalarial activities. According to Meshnick et al., (1996) (Microbiological Reviews 6:301-315) the antimalarial endoperoxides including artemisinin, dihydroartemisinin and arteether, are not likely to be useful for other therapeutic purposes except against malarial parasites.

25 Although artemisinin rapidly suppresses the activity of parasites like *Plasmodium vivax* and *P. falciparum*, problems with high rate of recrudescence (>10% recrudescence infections), short half life persist. Hence, there is a need to develop new drugs against quinolone resistant pathogenic bacteria. It is a known fact that clinically used antibacterial broad spectrum compounds such as quinolones which exhibit DNA gyrase
30 activity of *Mycobacterium* sp. (causing tuberculosis), *Haemophilus* sp. and *Haemophilus influenzae* are gradually becoming ineffective due to the occurrence of mutations in gyrase genes and their natural selection under continuous use of such drug.

IN/PA-506

(29.12.03)

The compound α arteether developed as antimalarial drugs by Central Drug Research Institute (CDRI), Lucknow, India and Central Institute of Medicinal & Aromatic Plants (CIMAP), Lucknow, India, after phase II clinical trial is a stable derivative of artemisinin. Earlier we have found a novel property of α -arteether as being effective
5 against the *gyr A* mutant strains of *E. coli* but ineffective against wild type strains (US patent 6,127,405). Also we have developed a strategic and novel composition comprising α arteether and nalidixic acid or quinolone drugs which is useful as an advanced generation drug to counter the resistance development itself and having a potential to be used in treating infectious diseases and in inhibiting the resistance developed due to
10 mutation in the *gyr A* gene of bacteria, particularly in those cases where drug resistant strains are known to appear very frequently (US patent 6,42,3741).

In an earlier invention a method was also provided for maximization of artemisinin yield of the plant *Artemisia annua*, said method comprising sowing seeds of *Artemisia annua* plant on raised bed nursery during second and third week of December and maintaining
15 the moisture throughout; transplanting seedlings thus obtained bearing at least 5-15 leaves into the main field fertilized with fertilizer, preferably NPK @ 80,40,40 kg/ha to achieve a population density of 50,000 to 200,000 per ha followed by light irrigation in the second week of March and irrigation every fortnight thereafter; harvesting the crop four times by cutting the plant tops leaving 75-100 cm part of plant for further
20 regeneration, the said harvests are performed in a manner that the first harvest is done in fourth week of May, second harvest in third week of July, third harvest in second week of September and fourth harvest in third week of October of each year; and at each harvesting time care is taken to care at least one green branch, and extracting artemisinin from the plant tissue immediately after each harvest. (US patent 6,393,763).

25 Considering the high value of the chemical artemisinin for use in derivatization to different semisynthetic product of immense importance the need of the hour is to still increase the yield. Agronomic practices and scheduling of the harvest timings to obtain higher biomass yield do not take into account the genotypes as all the plants are harvested together. Since the plant *Artemisia annua* is highly cross pollinated like the members of
30 family Asteraceae the chemical character like 'artemisinin content' segregate like any other phenotypic characters as multigenic characters always segregate in the progeny

population. Due to this all the progeny plants of the high artemisinin containing plant may not yield same amount of the chemical. Some will be high, some medium and some very low.

5 Considering the problem of identification of the high artemisinin containing plant genotypes at the nursery stage, to discard the low artemisin genotypes for the purpose of planting only those genotypes which could produce high amount of artemisinin during maturity in the main field a systematic approach for identification of DNA marker was launched. In this process the marker was identified which could differentiate the high artemisinin genotypes from low artemisinin genotypes at the seedling stage itself. These
10 selected seedlings showing the presence of the DNA marker then could be taken for further matting between them to generate plants produce highest biomass as well as higher artemisinin.

Objects of the present invention

The main object of the present invention is to develop a pair of primers capable of
15 identifying plants *Artemisia annua* containing high content of artemisinin.

Another object of the present invention is to develop a screening method for early identification of plants *Artemisia annua* having high content of artemisinin.

In yet another object of the present invention is to develop a method for generation of plant population with further high content of artemisinin.

20 Still another object of the invention is to develop a method for plants to be identified at nursery stage itself having high content of artemisinin.

Still another object of the present invention is to develop a method to identify plants having high content of artemisinin ranging between 0.5 to 1.4 w/w%.

Summary of the present invention

25 The present invention relates to a pair of primers with forward primer of SEQ ID NO. 1 having sequence of CCAAGCTTGCTGAACGCATCGG, and reverse primer of SEQ ID No. 2 having sequence of CCAAGCTTGCCACGCAGGATTATC, and a screening method for early identification of plants *Artemisia annua* having high content of artemisinin and thereby helping generation of plant population with further high content
30 of artemisinin.

IN/PA-506

Detailed description of the present invention

The present invention relates to a pair of primers with forward primer of SEQ ID NO. 1 having sequence of CCAAGCTTGCTGAACGCATCGG, and reverse primer of SEQ ID No. 2 having sequence of CCAAGCTTGCCACGCAGGATTATC, and a screening method for early identification of plants *Artemisia annua* having high content of artemisinin and thereby helping generation of plant population with further high content of artemisinin.

In still another embodiment of the present invention, wherein a pair of primers with forward primer of SEQ ID NO. 1 having sequence of CCAAGCTTGCTGAACGCATCGG, and reverse primer of SEQ ID No. 2 having sequence of CCAAGCTTGCCACGCAGGATTATC.

In still another embodiment of the present invention, wherein A pair of primers as claimed in claim 1, wherein the primers help identify plants *Artemisia annua* containing high content of artemisinin.

In still another embodiment of the present invention, wherein A screening method for early identification of plants *Artemisia annua* having high content of artemisinin and thereby helping generation of plant population with further high content of artemisinin, said method comprising steps of:

- isolating DNA from the plant,
- running PCR on the isolated DNA using a pair of primers of SEQ ID Nos. 1 and 2,
- identifying plants having high content of artemisinin, containing nucleotide SEQ ID No. 3, and
- crossing the identified plants to produce the next generation plants with further higher content of artemisinin.

In still another embodiment of the present invention, wherein the plants can be identified at nursery stage itself.

In still another embodiment of the present invention, wherein the high content refers to concentration of 0.4 w/w/% or more.

In still another embodiment of the present invention, wherein the plant with higher content of artemisinin ranging between 0.5 to 1.4 w/w/% are produced.

(29. 12. 03)

IN/PA-506

In still another embodiment of the present invention, wherein the increase in the artemisinin genetic advance (GA) is about 0.4 w/w % in first four years.

In still another embodiment of the present invention, wherein the artemisinin content heritability (h) is about 80.

- 5 In still another embodiment of the present invention, wherein the method helps maintains elite genotypic population.

In still another embodiment of the present invention, wherein the invention relates to a method of developing a specific DNA marker in form of a Sequence Characterized Amplified Region (SCAR) marker genetically tagged to the high artemisinin synthesizing
10 genotypes of the plant *Artemisia annua*. Further the invention also describes the complete unique DNA sequence present in the high artemisinin containing plants. The DNA primer sequence usable for PCR amplification of tagged DNA of the plant containing high artemisinin. Also this invention illustrates the method to screen out the low artemisinin containing genotypes of *Artemisia annua* at the nursery stage itself using the DNA
15 primers, to grow only the high artemisinin yielding genotypes to maturity for obtaining better harvest of artemisinin. Further the invention describes the method of developing high artemisinin containing plants of *Artemisia annua* using the SCAR marker through marker-assisted breeding. The invention provides the use of DNA technology to maintain elite genotypic population in a cross-pollinated plant species.

- 20 The research on genome analysis is being taken up as a necessity to understand the genomic constitution of individuals in terms of DNA content, nature and variations etc. The data from genome analysis are of direct relevance to molecular plant breeding in which morphological characters can be tagged to unique DNA sequences and then inheritance patterns of DNA markers can be utilized to confirm the presence of traits
25 even before expression. Techniques are available to differentiate even similar looking individuals of a population on the basis of DNA sequence variation. Some recent important discoveries from application point of view towards genetic analysis include Restriction endonucleases mapping and Polymerised Chain Reaction for amplifying DNA sequences from traces. These discoveries have led to the means and techniques
30 used to study the differences or uniqueness in the DNA sequences otherwise known as Polymorphism in the DNA. The tools like RAPD, AFLP, RFLP, SCAR, micro-satellite

and many others were invented earlier and used in literature extensively for differentiating and marking the plants for different characters.

Development of marker correlating to high content of Artemisinin in the plant Artemisia annua.

5 *Selection of genotypes*

The seeds of ten chemotypic accessions of the plant *Artemisia annua* were collected from Kashmir and further studies were carried out in Lucknow field station. Seeds of *A.annua* were sown in pots with mixture of soil and FYM (farmyard manure) in the ratio of 1:1 and germination in glass house conditions during the month of November of the years
10 1998 – 2001. The seedlings having 10 cm height were transplanted with spacing 50cm between rows and 30cm between plants. The soil of experimental field was sandy loam in texture and neutral in reaction (pH 7.6). The plots were fertilized with FYM (Farm yard manure) @20 kg/ha before transplanting for obtaining optimum performance. Plots were
15 prepared 3mx3m size with irrigation channels. For Hybridization, six seed lots were selected out of 10 seedlots (obtained from Kashmir in the year 1998) were transplanted in alternative rows. From the next year (1999) onwards the progeny seedlings of the chemotypically selected plants were planted again in alternate rows. All the seedlings were checked for artemisinin content after extraction. About 0.1g dry powdered plant material was extracted in 10 ml of hexane by heating at 60°C for 3 minutes and left for
20 overnight at room temperature. Then extract was filtered and evaporated on water bath at 50°C. After evaporation extract was dissolved in 1ml hexane and used in TLC. Properly (20 x20 cm E-MERCK) dissolved extract was spotted in TLC plates at 1cm apart along with standard (1mg/ml). Spotted TLC plate was dipped in solvent (mobile phase) Hexane:Diethyl ether (1:1) Plate was dried in air and dipped in developing reagent
25 Glacial acetic acid:conc. Sulphuric acid:Anisaldehyde (50:1: 0.5ml) and heated at 120°C for 10- 15 minutes and then Stabilized and scanned (540nm,visible) (Densitometer CAMAG :Switzerland). The TLC plates were scanned and the artemisinin content of individual progeny plants were quantified. From the analysis the plants producing trace(0.10% or less) artemisinin and the plants producing more than 0.4% artemisinin
30 were selected and finally 10 plants from each category were taken for DNA analysis.

DNA isolation and PCR amplifications

DNA was isolated from the leaf tissue essentially according to the protocol described earlier (Khanuja SPS, Shasany AK, Darokar MP, Sushil Kumar (1999) Rapid Isolation of PCR Amplifiable DNA from the Dry and Fresh Samples of Plants Producing Large Amounts of Secondary Metabolites and Essential oils by Modified CTAB Procedure. *Plant Molecular Biology Reporter*, 17, 74.). Polymerase chain reactions (PCRs) were carried out in 25 µl volume. A reaction tube contained 25 ng of DNA, 0.2 unit of Taq DNA polymerase, 100 µM of each dNTPs, 1.5 mM MgCl₂ and 5 pmol of decanucleotide primers. The amplifications were carried out using the DNA Engine thermal cycler (MJ Research, USA) using 94°C, 35°C and 72°C temperatures for 40 cycles (Khanuja SPS, Shasany AK, Srivastava A, Sushil Kumar (2000). Assessment of genetic relationships in *Mentha* species. *Euphytica*, 111, 121-125.). The amplified products were separated on 1.2% agarose gel containing 0.5 µg ml⁻¹ of ethidium bromide and photographed with Image master VDS (Pharmacia). The bands were analyzed using Image master 1D elite software and the graphic phenogram of the genetic relatedness among the accessions was produced by means of UPGMA (unweighted pair group method with arithmetic average) cluster analysis. Custom-made decanucleotide primers were synthesised in the laboratory on Applied Biosystems 392 DNA-RNA Synthesizer and were designated as MAP01 to MAP20. The sequences of the primers MAP01 to MAP20 were:

AAATCGGAGC, GTCCTACTCG, GTCCTTAGCG, TGCGCGATCG,
 AACGTACGCG, GCACGCCGGA, CACCCTGCGC, CTATCGCCGC,
 CGGGATCCGC, GCGAATTCCG, CCCTGCAGGC, CCAAGCTTGC,
 GTGCAATGAG, AGGATACGTG, AAGATAGCGG, GGATCTGAAC,
 TTGTCTCAGG, CATCCCGAAC, GGAATCCACG, AGCCTGACGC, respectively.

The other sets of primers used included kit J, O and T, each consisting of 20 random decamer primers, procured from Operon Technologies Inc., USA.

All the RAPD profiles thus generated were analyzed for bands always appearing with all the high artemisinin containing genotypes (more than 0.4%) and absent in the genotypes containing trace or no artemisinin. We could detect a band at approximately 850 base pair region amplified with the primer 5'CCAAGCTTGC3' (MAP 12, Sequence ID 1) which consistently showed its presence in the genotypes containing more than 0.4%

artemisinin and absent in the genotypes with trace or no artemisinin. This finding was interesting considering the complex nature of the artemisinin biosynthetic pathway. For all other primers the amplified products showed variable positions in these genotypes and could not be correlated.

- 5 The presence of the band in the segregating populations having high artemisinin could be ascertained as the samples of 10 analyzed plants having high artemisinin were drawn from different populations. Similarly, the sample of 10 plants for trace or no artemisinin drawn from different populations could show always the absence of the band. As all the plants analyzed were from the same initial population the genes for artemisinin
- 10 biosynthesis were assumed to be normal. So the presence and absence of the band could be correlated to the regulatory function associated with the expression of some of the genes associated with the biosynthetic pathway. But certainly the DNA band of about 850 base pair size could be correlated with the biosynthesis of more than 0.4% artemisinin in *Artemisia annua*.
- 15 In the next steps the DNA fragment described earlier was eluted out from the agarose gel and (since the fragment was amplified with the primer containing Hind III restriction site) restricted with Hind III restriction enzyme (Recognition and restriction site 5'AAGCTT3'). Similarly, pBluescript II SK(+) procured from Stratagene Inc. was used to clone the fragment at the Hind III site using T4 DNA ligase enzyme available
- 20 commercially. *Escherichia coli* strain DH5 α , procured from Stratagene Inc again was transformed with this constructed plasmid and transformed cells were isolated on agar plates containing nutrient broth and ampicillin. All the experiments were performed according to the protocol Sambrook *et al* (1988). This fragment was sequenced completely with the help of M13 forward and T3reverse primer (the sequence sites are
- 25 present in the plasmid pBluescript II SK(+)) and the nucleotide sequence is given below of SEQ ID NO. 3.

AAGCTTGCTG AACGCATCGG TGTTACTGCC GCAGCCCGTG AACTCAGCCT
GTATGAATCA CAACTCTACA ACTGGCGCAG TAAACAGCAA AATCAGCAGA
CGTCTTCTGA ACGTGAAGT GAGATGTCTA CCGAGATTGC ACGTCTCAAA
30 CGCCAGCTGG CAGAACGGGA TGAAGAGCTG GCTATCCTCC AAAAGGCCGC
GACATACTTC GCGAAGCGCC TGAAATGAAG TATGTCTTTA TTGAAAAACA

IN/PA-506

(29.12.03)

TCAGGCTGAG TTCAGCATCA AAGCAATGTG CCGCGTGCTC CGGGTGGCCC
 GCAGCGGCTG GTATACGTGG GTGTCAGCGG CGGACAAGGA TAAGCCCGCG
 TAAGCAGTTC CGCCAACACT GCACAGGGGG TTGTCTCGCG GGTTTTACCC
 CGGGTCAAAC AAGCGTTACC GGTGCCCCAC GCTTGACCGG ATGACCTGCG
 5 GTGCTCAGGG TTACCCTTTA ACGTAAAAAA CCCGTGGCGG CAAGCTTGCC
 CGGTCAGGGA CTGAAGGCAA AGGCCTCCCG GAAGTTCAGC CCGGTCAGCT
 ACCGCGGCAC ACGGGCCTGC CTGTGTCAGA AAATCTGTTG GAGCAGGATT
 TTTACGCCCCA GTGGCCCGAA CCAGAAGTGG GCAGGAGACA TCACGTAATT
 ACGTACAGAT GAAGGCTGGC TGTATCTGGC AGTGGTCATT GACCTGTGGT
 10 CACGTGCCGT TATTGGCTGG TCAATGTCGC CACGCATGAC GGCGCAACTG
 GCCTGCGATG CCCTGCAGAT GGCCTGTGG CGGCGTAAGA GGCCCCGGAA
 CGTTATCGTT CACACGGACC GTGGAGGCCA GTACTGTTCA GCAGATTATC
 AGGCGCAACT GAAGCGGCAT AATCTGCGTG GAAGTATGAG CGCAAAAGGT
 TGCTGCTACG ATAATGCCTG CGTGGAAAGC TT

- 15 Based on the sequence at the ends forward and reverse primers were synthesized with the sequence

Forward Primer 5'CCAAGCTTGCTGAACGCATCGG3' (SEQ ID NO. 1)

Reverse primer 5'CCAAGCTTGCCACGCAGGCATTATC3' (SEQ ID NO. 2)

- 20 These sequences were used to amplify the genomic DNA of *Artemisia annua* (both high content of artemisinin and low content of artemisinin). The plant genomic DNA with high artemisinin content could generate a band of 936 bp where as in plants containing low amount of artemisinin the absence of the band was conspicuous.

Use of the marker to generate a population of plants with high artemisinin content.

- 25 In the first year polycross nursery was designed with alternate male and female line choosen among the seedlots. These plants were randomly picked up from the nursery raised from the 6 selected seed lots. The plants, which were designated as female (270 plants), were analyzed for artemisinin content, which were selected for further experimentation. Seed sample were collected from these selected plants (13 in number) containing high amount of artemisinin(0.15 to 0.20%) and planted again in a polycross
 30 nursery in the second year. Next year 180 plants were analyzed for artemisinin content and 13 plants containing 0.45 to 0.50% artemisinin were selected for planting in the third

(29.12.03)

year. At this point 10 plants with more than 0.4% artemisinin and 10 plants containing trace amount artemisinin were taken for DNA isolation to develop SCAR marker as described previously. The SCAR marker was used to select plants from the nursery raised from the seeds selected 13 seedlots, and 12 plants from each seedlots showing the presence of SCAR marker were selected for random crossing among the plants in the third year. Randomly plants were analyzed for artemisinin content and among 150 plants analyzed 20 plants having artemisinin 0.8 to 1.0% were selected for next year (fourth year) planting. The seeds from these plants were grown in the nursery and 12 SCAR positive plants from each seed lot were grown randomly to facilitate cross pollination. From these 200 plants were analysed for artemisinin content and 11 plants were selected having 1.0 to 1.16% artemisinin content. Simultaneously, increase in the mean artemisinin content of the plants analysed every year were calculated.

Flow sheet 1.

Six seed lot selected based

On Artemisinin content

(more than 0.1%)

Planted in alternate row



270 plants were analyzed for

Artemisinin



13 plants were selected)

(0.12-0.2%)



seeds

IInd year

6 plots 180 plants analyzed




13 plants selected 0.45-0.50%



seeds grown in nursery

IIIrd year



Genetic advancement

The key metabolite synthesis (Artemisinin content) was studied for genetic advancement which showed an upward trend beginning with 17.33% increase in the mean artemisinin content for the first year, crossing 50% in second year, 60% in third year and remaining at 42.06% in fourth year. The advancement in artemisinin content was calculated as per Singh and Chaudhary (1977) (Singh R K and Chaudhary B D (1977). Biometrical methods in quantitative genetic analysis. Kalyani Publications, New Delhi.

$$GA : \text{Genetic advance} = i \times h^2 \times \sigma p$$

i = i is the standardized selection differential

σp = phenotypic standard deviation

h^2 = heritability

Table

S.No.	Traits	I year	II year	III year	IV year
1	Artemisinin GA	0.013	0.167	0.36	0.39
	Content(%) GA(% of x)	17.33	53.87	60.00	52.06
	h (b)	18	52	76	70

IN/PA-506

(29.12.83)

One of the object of the present invention was to develop a marker system to be used in breeding *Artemisia annua* plant for high artemisinin content. The marker was developed and described as the unique sequence which appear in plants containing high amount of artemisinin (0.4% or more). The Indian genotypes of *Artemisia annua* found in wild have
5 low content of artemisinin. This marker system can distinguish plant tending to synthesize high amount of artemisinin when the biosynthetic system of the plant is functional (i.e. structural genes). Other objective of the invention was to generate a breeding and selection method using the marker assisted breeding to increase the content of artemisinin in the plants. From 0.1% artemisinin content, the plants were improved to
10 1.2% using the protocol and the marker system.

15

20

25

30

Claims

1. A pair of primers with forward primer of SEQ ID NO. 1 having sequence of CCAAGCTTGCTGAACGCATCGG, and reverse primer of SEQ ID No. 2 having sequence of CCAAGCTTGCCACGCAGGATTATC.
- 5 2. A pair of primers as claimed in claim 1, wherein the primers help identify plants *Artemisia annua* containing high content of artemisinin.
3. A screening method for early identification of plants *Artemisia annua* having high content of artemisinin and thereby helping generation of plant population with further high content of artemisinin, said method comprising steps of:
 - 10 a. isolating DNA from the plant,
 - b. running PCR on the isolated DNA using a pair of primers of SEQ ID Nos. 1 and 2,
 - c. identifying plants having high content of artemisinin, containing nucleotide SEQ ID No. 3, and
 - 15 d. crossing the identified plants to produce the next generation plants with further higher content of artemisinin.
4. A screening method as claimed in claim 3, wherein the plants can be identified at nursery stage itself.
5. A screening method as claimed in claim 3, wherein the high content refers to
20 concentration of 0.4 w/w/% or more.
6. A screening method as claimed in claim 3, wherein the plant with higher content of artemisinin ranging between 0.5 to 1.4 w/w% are produced.
7. A screening method as claimed in claim 3, wherein the increase in the artemisinin genetic advance (GA) is about 0.4 w/w % in first four years.
- 25 8. A screening method as claimed in claim 3, wherein the artemisinin content heritability (h) is about 80.
9. A screening method as claimed in claim 3, wherein the method helps maintains elite genotypic population.

(29.12.03)

Abstract

The present invention relates to a pair of primers with forward primer of SEQ ID NO. 1 having sequence of CCAAGCTTGCTGAACGCATCGG, and reverse primer of SEQ ID No. 2 having sequence of CCAAGCTTGCCACGCAGGATTATC, and a screening
5 method for early identification of plants *Artemisia annua* having high content of artemisinin and thereby helping generation of plant population with further high content of artemisinin.